IN THE CLAIMS

Claims 1-3, 5, 10, 11, 13, 14, and 21-36 are pending.

- Claim 1. (Previously amended) A pharmaceutical composition for enteral administration comprising at least one anti-HIV drug and a cortisol blocker comprising procaine HCl, zinc heptahydrate, and ascorbic acid.
- Claim 2 (Previously amended) The composition according to claim 1 wherein said anti-HIV drug is selected from the group consisting of DDC, DDI, D₄T, 3TC, saquinavir, ritonavir, indinavir, nelfinavir, nevirapine, delevirdine, abacarvir, efavirenz, adefavir, BCH 10652, FTC, MKC-442, and Bis-POC-PMPA.
- Claim 3. (Previously amended) The composition according to claim 2 wherein said anti-HIV drug comprises at least two anti-HIV drugs.
- Claim 4. (Canceled)
- Claim 5. (Original) The composition according to claim 1 wherein said composition is in the form of a powder, liquid, tablet, capsule, pill, suppository, nasal spray, nasal drops, candy or gel cap.
- Claims 6-9. (Canceled)
- Claim 10. (Previously amended) A method for the treatment of a human immunodeficiency virus infected patient, the method comprising enterally administering to the patient at least one anti-HIV drug and a cortisol blocker comprising procaine HCl, zinc heptahydrate, and ascorbic acid.
- Claim 11. (Previously amended) The method according to claim 10 wherein said anti-HIV drug is selected from the group comprising DDC, DDI, D4T, 3TC, saquinavir, ritonavir indinavir, nelfinavir, nevirapine, delevirdine, abacarvir, efavirenz, adefavir, BCH 10652, FTC, MKC-442, and Bis-POC-PMPA.

- Claim 12. (Canceled)
- Claim 13. (Original) The method according to claim 10 wherein said anti-HIV drug comprises at least two anti-HIV drugs.
- Claim 14. (Original) The method according to claim 10 wherein the anti-HIV drug and cortisol blocker are in admixture and are in the form of a powder, tablet, suppository, nasal spray, nasal drop, liquid, capsule, pill or gel cap.

Claims 15-20. (Canceled)

- Claim 21. (Previously added) The composition of claim 1, wherein the cortisol blocker is present in an amount of between about 100 mg and about 2.0 g.
- Claim 22. (Previously added) The composition of claim 1, wherein the cortisol blocker is present in an amount of between about 500 mg and about 1.0 g.
- Claim 23. (Previously added) The composition of claim 1, wherein the cortisol blocker is present in an amount of between about 750 mg and about 1.0 g.
- Claim 24. (Previously added) The composition of claim 1, wherein the weight ratio of procaine HCl to zinc heptahydrate to ascorbic acid ranges from about 40:1:2 to about 160:1:3.
- Claim 25. (Previously added) The composition of claim 1, wherein the weight ratio of anti-HIV drug to cortisol blocker ranges from about 1:20 to 20:1.
- Claim 26. (Previously added) The composition of claim 1, wherein the weight ratio of anti-HIV drug to cortisol blocker ranges from about 1:5 to 5:1.
- Claim 27. (Previously added) The composition of claim 1, wherein the amount of anti-HIV drug and cortisol blocker ranges from about 0.1 g to 10 g.
- Claim 28. (Previously added) The composition of claim 1, wherein the amount of anti-HIV drug and cortisol blocker ranges from about 0.5 g to 5 g.

- Claim 29. (Previously added) The method of claim 10, wherein the cortisol blocker is administered in an amount of between about 100 mg and about 2.0 g per day.
- Claim 30. (Previously added) The method of claim 10, wherein the cortisol blocker is administered in an amount of between about 500 mg and about 1.0 g per day.
- Claim 31. (Previously added) The method of claim 10, wherein the cortisol blocker is administered in an amount of between about 750 mg and about 1.0 g per day.
- Claim 32. (Previously added) The method of claim 10, wherein the weight ratio of procaine HCl to zinc heptahydrate to ascorbic acid ranges from about 40:1:2 to about 160:1:3.
- Claim 33. (Previously added) The method of claim 10, wherein the weight ratio of anti-HIV drug to cortisol blocker ranges from about 1:20 to 20:1.
- Claim 34. (Previously added) The method of claim 10, wherein the weight ratio of anti-HIV drug to cortisol blocker ranges from about 1:5 to 5:1.
- Claim 35. (Previously added) The method of claim 10, wherein the amount of anti-HIV drug and cortisol blocker ranges from about 0.1 g to 10 g per day.
- Claim 36. (Previously added) The method of claim 10, wherein the amount of anti-HIV drug and cortisol blocker ranges from about 0.5 g to 5 g per day.